UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/539,822	02/03/2006	Jean-Christophe Fondeur	33155.28	5869
32300 7590 09/29/2008 BRIGGS AND MORGAN P.A. 2200 IDS CENTER			EXAMINER	
			THOMAS, MIA M	
80 SOUTH 8TH ST MINNEAPOLIS, MN 55402			ART UNIT	PAPER NUMBER
			2624	
			MAIL DATE	DELIVERY MODE
			09/29/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/539,822	FONDEUR ET AL.		
Office Action Summary	Examiner	Art Unit		
	Mia M. Thomas	2624		
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the c	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tirwill apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on 25 J This action is FINAL . 2b)☑ This Since this application is in condition for allowatelessed in accordance with the practice under the second secon	s action is non-final. ance except for formal matters, pro			
Disposition of Claims				
4) Claim(s) 12-22 is/are pending in the application 4a) Of the above claim(s) is/are withdrast 5) Claim(s) is/are allowed. 6) Claim(s) 12-22 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or are subjected to by the Examination Papers 9) The specification is objected to by the Examination The drawing(s) filed on 25 June 2008 is/are: a	awn from consideration. or election requirement. er. a)⊠ accepted or b)□ objected to	•		
Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	ction is required if the drawing(s) is ob	jected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D: 5) Notice of Informal F 6) Other:	ate		

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 25 June 2008 has been entered.

Response to Amendment

This Office Action is responsive to applicant's remarks received on 25 June 2008.
 Claims 1-11 are cancelled and Claims 12-22 are currently pending. A complete response follows here below.

Examiner's Note

3. The Examiner has noted that the remarks received on 25 June 2008 appear to mirror those remarks filed on 14 February 2008. This office action is responsive to those remarks received on 25 June 2008.

Claim Suggestions

It appears that several of the claims are a literal translation of a French priority documents. There are several missing articles in some of the claim language. For example, at claim 17, Examiner suggests that the applicant alter the language to read as follows: ***Note: These are mere suggestions by the Examiner and in no way does this change the scope of the claim language.***

Art Unit: 2624

17. (Currently Amended) A fingerprint sensor adapted to determine a living character of a

fingerprint carried by a person, the sensor comprising:

(a) at least four electrodes, wherein at least two of the said four electrodes have smaller

surfaces that the other two of the said four electrodes with larger surfaces.

(b) means for measuring impedances at least between on the one hand, two electrodes with

smaller surfaces and on the other hand, two electrodes with larger surfaces, and...

Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall

set forth the best mode contemplated by the inventor of carrying out his invention.

5. Claim 12 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the

enablement requirement. The claim(s) contains subject matter which was not described in the

specification in such a way as to enable one skilled in the art to which it pertains, or with which it

is most nearly connected, to make and/or use the invention.

At lines 5-8 of claim 12, the applicant recites the law of variation, with respect to (Z), impedance;

(S), surface area; and f (Dt). The Examiner has assumed that f is a function and that t is a

variable of time. When read in light of the specification, the applicant does not define "D". The

applicant also does not define the function of (Dt) --- {f (Dt)}, in the claims nor in the

specification. A person of ordinary skill in the art would not be able to choose a finite or

restricted set of numbers (variables) to substitute into the function of (Dt) to obtain the same

results yielded by the applicant's invention. Therefore, neither claim language nor specification fully supports the function of (Dt) in order to make/or use the invention.

Further, the Examiner has examined the specification to find that "D" is represented as a finger (see paragraph [0024]).

6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

7. Claim 12 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

When read in light of the specification, for example, at line 4 of claim 12, the term "various points" in considered indefinite.

Does the meaning of "various points" correspond with "various points" on the sensor or "various points" on the finger, or "various points" on the graph related to the fingerprint measurements?

Does the term "various points" means 2 (two) specific points that are being measured or are there multiple points (more than 3) into which the measurements are being considered? In other words, are the measurements of impedance at claim 12 comprised of 2 or more points? The term "various points" is vague and indefinite as one of ordinary skill in the art could measure 2 or more points and yield predictable results since each measurement will be varied from point to point.

With respect to "D", the Examiner has examined the specification to find that "D" is represented as a finger (see paragraph [0024]). Is the law of variation being related to the element carrying the fingerprint? or Is the law of variation being related to the "finger"-"D"?

For examination purposes, the Examiner will interpret Claim 12 as follows:

- 12. (Currently Amended) A method of determining a living character of a finger of a person carrying a fingerprint, comprising the steps of:
- (a) making measurements of impedance (Z) at multiple (more than 3 (three)) points of the finger, on which the person carrying the fingerprint, is measured by means of electrodes; and
- (b) determining whether the measurements of impedance (Z) satisfy a law of variation of the impedance measured by the electrodes as a function of the surface area (S) of the electrodes covered by the fingerprint, such as Z= f(Dt) (S), said law of variation being related to the finger carrying the fingerprint, wherein D is representative of the living character's finger and t is an element of time.
- 8. Claims 12, 17, 19, 20 and 21 are also rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 12, at line 8 recites "the element". According to www.m-w.com, an element is any of the four substances air, water, fire, and earth formerly believed to compose the physical universe. When read in light of the specification, it is uncertain if applicant is referring to a "user's finger"

as an element by way of literal translation or if the determination of a living character is an "element of a user" to be carried out in a fingerprint sensor and the execution thereof. In other words, as best understood by the Examiner, at line 1 of claim 12, the applicant is referring to "a finger of a person" as being related to the living character (a person, or human being/living- not

counterfeit) and the "person" or "living character" is the "element" carrying the fingerprint as

taken in context by the amended claim language.

Claims 12, 17, 19, 20 and 21 recites the limitation "the living character" at page 2, line 1 of claim 12, in the preamble for example. There is insufficient antecedent basis for this limitation in the

claim.

Claim 12 at line 8 recites the limitation "the element". There is insufficient antecedent basis for

this limitation in the claim.

Claim 17 also recites the limitation "the impedances" at page 3, line 5. There is insufficient

antecedent basis for this limitation in the claim.

Claims 18 is also rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing

to particularly point out and distinctly claim the subject matter which applicant regards as the

invention.

At claim 18, the claim recites "[a] smaller surfaces [are] less distance from each other than the

two electrodes with larger surfaces".

How are far is less distant from each other? Could this distance be a matter of meters, yards or is the distance based on an optical realm of measurement with respect to the surface area of

the electrodes?

This claim is rejected as been indefinite.

Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. Claims 12-16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kallo et al. (US 6,175,641 B1) in combination with Setlak (US 5,963,679).

Regarding Claim 12: (currently amended) As best understood by the Examiner, Kallo teaches a method of determining the living character of a finger of a person carrying a fingerprint ("Detector for recognizing the living character of a finger which is arranged in a fingerprint recognizing apparatus and the detector is in contact with a print area of the living finger constituting a print forming element and the apparatus comprises for the examination of the print area a print detector which has a print imaging surface partially covered by the print area." at abstract), comprising the step of:

Setlak teaches (a) making <u>a first</u> measurements of impedance at various points on the element by means of electrodes ("... features according to the invention are provided by a fingerprint

impedance);

sensor comprising an array of electric field sensing electrodes, a dielectric layer on the electric field sensing electrodes with the dielectric layer for receiving a finger adjacent thereto..." at column 2, line 64; Now with specific reference to Figure 7, the various points that are measured by means of electrodes as exhibited at Figures 4-6, the active elements or measurements of impedance which result from one or more active semiconductive layers, for example at numerals 65 and 66 will be measured further to define further limitations of measurements of

and (b) determining whether the impedance measurements (Z) satisfy a law of variation of the impedance measured by the electrodes as a function of the surface area (S) of the electrodes covered by the element such as Z=f Dt (S), ("With specific regards to Figures 8-10, "...the sensing elements 30a operate at very low currents and at very high impedances." Once that data is gathered and processed, the impedance measurements are processed at Figure 24, numeral 200. Figure 24, numeral 202 is a low-level description of the law of variation being satisfied throughout the processing and determination of the method as claimed. For further support, in other terms, a first capacitor 83 (FIG. 9) is defined between the excitation electrode 71 and the sensing electrode 78, and a second capacitor 85 is defined between the finger skin 79 and ground." at column 7, line 22);

the law of variation being related to the element carrying the fingerprint "For example, the output signal from each sensing electrode 78 is desirably about 5 to 10 millivolts to reduce the effects of noise and permit further processing of the signals. For clarification, Examiner is citing the surface area to be associated with Figure 6, numeral 78, the measurement of the diameter of the electrode (sensing element) with further clarification to say "The approximate diameter of

each sensing element 30a, as defined by the outer dimensions of the shield electrode 80, may

be about 0.002 to 0.005 inches in diameter." at column 7, line 33).

The law of variation as stated by the applicant relates to the finger of the "living character" with

respect to the function of surface area and time. The measurements of impedance are also

measured across the electrodes associated with the finger.

Setlak may not expressly state a "law of variation", however, Setlak does however teach that his

invention "comprised an array of electric field sensing electrodes...with a dielectric layer for

receiving a finger...drive means for applying an electric field drive signal to the sensing

electrodes and adjacent portions of the finger so as to produce an output signal. Additionally,

another signification aspect of the invention addresses the difficulty of variation in finger

conductivity and contamination. (Further see column 2, lines 60-column 4 lines 35).

The claim would have been obvious because the substitution of one known element for another

would have yielded predictable results to one of ordinary skill in the art at the time of the

invention.

Since Setlak, does not specifically use the term "law of variation", he does however at column

3,lines 37-44 teach/disclose the significant aspects of his invention with relation to impedance

(electric) measurements and surface area of the finger as a function of measuring output

signals.

Therefore, the teaching methods of Setlak could have been substituted for the claimed elements

of Claim 1 to obtain the specified elements of claim 1 with no change in there respective

functions and yielded the same predictable results.

Further, Kallo expressly teaches "determining the living character of a finger of a person

carrying a fingerprint ("...recognizing the living character of a finger which is arranged in a

fingerprint recognizing apparatus and the detector is in contact with a print area of the living

finger constituting a print forming element and the apparatus comprises for the examination of

the print area a print detector which has a print imaging surface partially covered by the print

area." at abstract).

All the claimed elements of the invention according to Kallo and Setlak were known in the prior

art at the time of the invention. Kallo and Setlak are combinable because they are in the same

field of personal identification using a fingerprint. (See title, abstract and classification of each

invention).

The suggestion/motivation for combining the teachings of Kallo and Setlak would have been "to

provide a fingerprint sensor and related methods for accurately sensing a fingerprint, and which

sensor is rugged, compact, reliable and relatively inexpensive." at column 2, line 60-Setlak.

Therefore, it would have been obvious to one of ordinary skill in the art to combine the teachings

of Kallo and Setlak to obtain the specified claimed elements of Claim 12.

Regarding Claim 13: (original) Setlak teaches (a) measuring a first impedance value between

Page 11

two first electrodes with a predetermined surface area (Refer to Figure 5, numeral 30a)

(b) measuring a second impedance value between two second electrodes with a predetermined

surface area (Please also refer to Figure 5, numeral 30a; "The sensor 30 includes a plurality of

individual pixels or sensing elements 30a arranged in array pattern as shown perhaps best in

FIGS. 4 and 5." at column 6, line 39)

and (c) checking that the points defined by the first impedance value and second impedance

value and the surface areas of the first and second electrodes belong to the same curve

satisfying the said variation law (Refer to Figure 11, numeral 92 and 93).

Regarding Claim 14: (original) Setlak teaches (a) making a first measurement of impedance

between two first electrodes with a first predetermined surface area and determining the curve

satisfying the variation law (Refer to Figure 5, numeral 30a) (b) making a second measurement

of impedance between two second electrodes with a second predetermined surface area

(Please also refer to Figure 5, numeral 30a; "The sensor 30 includes a plurality of individual

pixels or sensing elements 30a arranged in array pattern as shown perhaps best in FIGS. 4 and

5." at column 6, line 39) and (c) checking that the point defined by the second impedance

measurement and second predetermined surface area values belong to an area of tolerance

situated around the curve (Refer to Figure 11, numeral 92 and 93). It shall be noted, "An

annularly shaped shield electrode 80 surrounds the sensing electrode 78 in spaced relation

therefrom. As would be readily appreciated by those skilled in the art the sensing electrode 78

and its surrounding shield electrode 80 may have other shapes, such as hexagonal, for

Art Unit: 2624

example, to facilitate a close packed arrangement or array of pixels or sensing elements 30a."

at column 7, line 4).

Regarding Claim 15: (original) Setlak teaches wherein the second impedance measurement is

made randomly between two electrodes of the same size and two electrodes of different sizes

(Refer to Figure 5, numeral 30a, accordingly as stated above, "the approximate diameter of

each sensing element 30a, as defined by the outer dimensions of the shield electrode 80, may

be about 0.002 to 0.005 inches in diameter." This variation can be randomly selected between

any number of electrodes of the same size and /or with different sizes).

Regarding Claim 16: (original) Setlak teaches wherein the second impedance measurement is

made alternately between two electrodes of the same size and between two electrodes of

different sizes (Refer to Figure 7; "A relatively thick dielectric layer 67 will reduce the

capacitance between these two structures and thereby reduce the current needed to drive the

excitation electrode. The various signal feed through conductors for the electrodes 78, 80 to the

active electronic circuitry may be readily formed as would be understood by those skilled in the

art." at column 7, line 44).

11. Claims 17, 18 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Kallo et al. (US 6,175,641 B1) in combination with Setlak (US 6,067,368), hereinafter referred to

as Setlak '368 and Setlak (US 5,963,679).

Regarding Claim 17: (currently amended) As best understood by the Examiner, Kallo expressly

teaches "determining the living character of carrying a fingerprint ("...recognizing the living

character of a finger which is arranged in a fingerprint recognizing apparatus and the detector is

in contact with a print area of the living finger constituting a print forming element and the

apparatus comprises for the examination of the print area a print detector which has a print

imaging surface partially covered by the print area." at abstract).

the sensor comprising:

Setlak '368 teaches (a) at least four electrodes, at least two of which have smaller surfaces than

two other with larger surfaces (Refer to Figure 3, numeral 30a or Figure 8, numeral 130);

(b) means for measuring the impedances at least between on the one hand two electrodes with

small surfaces on the other hand two electrodes with larger surfaces (Refer to Figure 8, numeral

131),

and (c) means of checking that the impedances measured by the measuring means follow a

predetermined law of variation of the impedance as a function of the surface area of the

electrodes used for measurement, ("Filter control means may operate the switches 137 to

perform processing of the signals generated by the active circuits 131. In one embodiment, the

fingerprint sensing elements 130 may be electric field sensing electrodes 78, and the active

circuits 131 may be amplifiers 73 (FIG. 2)." at column 8, line 66).

column 7, line 33).

Specifically, Setlak (USP 5,963,679) teaches the law of variation being related to the element carrying the fingerprint "For example, the output signal from each sensing electrode 78 is desirably about 5 to 10 millivolts to reduce the effects of noise and permit further processing of the signals. For clarification, Examiner is citing the surface area to be associated with Figure 6, numeral 78, the measurement of the diameter of the electrode (sensing element) with further clarification to say "The approximate diameter of each sensing element 30a, as defined by the outer dimensions of the shield electrode 80, may be about 0.002 to 0.005 inches in diameter." at

The law of variation as stated by the applicant relates simply to the finger of the "living character" with respect to the function of surface area and time. The measurements of impedance are also measured across the electrodes associated with the finger.

Setlak (USP 5,963,679) may not expressly state a "law of variation", however, Setlak does however teach that his invention "comprised an array of electric field sensing electrodes...with a dielectric layer for receiving a finger...drive means for applying an electric field drive signal to the sensing electrodes and adjacent portions of the finger so as to produce an output signal. Additionally, another signification aspect of the invention addresses the difficulty of variation in finger conductivity and contamination. (Further see column 2, lines 60-column 4 lines 35).

The claim would have been obvious because the substitution of one known element for another would have yielded predictable results to one of ordinary skill in the art at the time of the invention.

Page 15

Art Unit: 2624

Since Setlak (USP 5,963,679), does not specifically use the term "law of variation", he does however at column 3, lines 37-44 teach/disclose the significant aspects of his invention with relation to impedance (electric) measurements and surface area of the finger as a function of measuring output signals.

It shall also be noted that although the configuration of the electrodes as disclosed at Figure 3 and Figure 8 respectively does not actually limit the actual size the electrode by presentation considering that he electrodes are not drawn to scale and that the block diagrams can represent any multitude of electrodes or sensing elements in multiple forms or dimensions.

Further, Setlak '368 does not specifically disclose that the sensor comprises at least four electrodes, at least two of which have smaller surfaces than two other with larger surfaces, however, it would have been obvious to one of ordinary skill in the art to substitute one of the known "sensing elements" for another "sensing element" with a new or different configuration, as any number of sensing elements would have yielded predictable results at the time of the invention. For example, if the sensing element as disclosed at Figure 8, numeral 130 had a smaller variation of that element that comprised a smaller sensing element inside of the larger sensing element as shown at numeral 130, the substitution of that larger sensing element with the smaller element inside (meaning inside the sensing element or device) or attached (to the sensing element or device) would have been obvious.

Therefore, at the time of the invention, the skilled artisan would have been able to combine the teachings of Kallo, Setlak '368 and Setlak (USP 5,963,679) to obtain the specified claimed

elements of Claim 17, with no respective change in their functions and yielded a predictable

result, thereby making this claim obvious in view of the elements taught and rejected above.

Further, Kallo expressly teaches "determining the living character of a finger of a person

carrying a fingerprint ("...recognizing the living character of a finger which is arranged in a

fingerprint recognizing apparatus and the detector is in contact with a print area of the living

finger constituting a print forming element and the apparatus comprises for the examination of

the print area a print detector which has a print imaging surface partially covered by the print

area." at abstract).

All the claimed elements of the invention according to Kallo and Setlak '368 and (USP

5,963,679) were known in the prior art at the time of the invention. Kallo and both inventions of

Setlak are combinable because they are in the same field of personal identification using a

fingerprint. (See title, abstract and classification of each invention).

The suggestion/motivation for combining the teachings of Kallo and Setlak'368 and USP

5,963,679 would have been "to provide a fingerprint sensor and related methods for accurately

sensing a fingerprint, and which sensor is rugged, compact, reliable and relatively inexpensive."

at column 2, line 60-Setlak (USP 5,963,679).

Therefore, it would have been obvious to one of ordinary skill in the art to combine the teachings

of Kallo and Setlak'368 and USP 5,963,679 to obtain the specified claimed elements of Claim

17.

Regarding Claim 18: Setlak '368 teaches wherein the two electrodes with smaller surfaces are

less distant from each other than the two electrodes with larger surfaces (Refer to Figure 11;

"The approximate diameter of each sensing element 30a, as defined by the outer dimensions of

the shield electrode 80, may be about 0.002 to 0.005 inches in diameter. ... provided for

cooperating with the synchronous demodulator means 170 for synchronously demodulating

signals at first and second phase angles (theta sub 1), (theta sub 2), generating an amplitude

ratio thereof, and comparing the amplitude ratio to a predetermined threshold to determine

whether the object is a live fingerprint or other object. Accordingly, the synchronous

demodulator 170 may be readily used to generate the impedance information desired for

reducing spoofing of the sensor 30 by an object other than a live finger. The first angle (theta

sub 1) and the second 92 may have a difference in a range of about 45 to 90 degrees, for

example. Other angles are also contemplated by the invention as would be readily appreciated

by those skilled in the art." at column 11, line 6).

Regarding Claim 22: Setlak '368 teaches an optical system producing an image of the

fingerprint and determining the surface area of the electrodes not entirely covered by the

fingerprint (Refer to Figure 3, numeral 30).

12. Claims 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hestnes

(US 6.778,686 B1) in combination with Setlak (US 5,943,441), hereinafter referred to as Setlak

'441 and further in view of Setlak (US 5,963,679).

Regarding Claims 19-21: Hestnes discloses a fingerprint sensor adapted to determine the

living character of an element carrying a fingerprint ("The present invention relates to capacitive

Art Unit: 2624

sensing of topological variations in the structure of an object. The invention particularly relates to a sensing device sensing topological variations in the structure of a finger or a fingertip, and to a so-called fingerprint recognition system." at column 1, line 10), the sensor comprising:

(a) a first set of four single-piece electrodes with identical large surfaces and a second set of two electrodes in the form of intersecting combs with identical surfaces less than the identical large surfaces ("...to each sensor element four digital signals are presented and to select the functionality of a sensor element, the same functionality for both the X and the Y selection lines have to be selected. This will be further described with reference to FIG. 4." at column 8, line 39; Additionally, "FIG. 7 is a figure similar to that of FIG. 6 showing an alternative sensing device 11. In this embodiment separate conducting means 12 is arranged to provide an ohmic contact with the finger 4. The separate conducting means 12 here acts a transmitting electrode. All sensor elements are selected to act either as receivers or to be inactive. The sensing device 11 can be programmed to operate either using direct sensing principle or using reflective sensing principles." at column 10, line 38);

(b) means for measuring the impedances between electrodes selected from the group consisting of: the two electrodes with smaller surfaces; two of the electrodes with larger surfaces; and one of the electrodes with smaller surfaces and one of the electrodes with larger surfaces ("According to this embodiment, the transmitting elements transmit pulsating voltage signals which are provided to the object, for example the finger, the variations in topological pattern of which is to be sensed, and the receiving elements measure the capacitively transferred signal which is reflected back to the sensing device. In other words, the device acts as a reflective sensor." at column 3, line 55);

Settak' 441 teaches and (c) means of checking that the impedances measured by the measuring means follow a predetermined law of variation of the impedance as a function of the surface area of the electrodes used for the measurement (Refer to Figure 12, specifically, numeral 191).

Specifically, Setlak teaches the law of variation being related to the element carrying the fingerprint "For example, the output signal from each sensing electrode 78 is desirably about 5 to 10 millivolts to reduce the effects of noise and permit further processing of the signals. For clarification, Examiner is citing the surface area to be associated with Figure 6, numeral 78, the measurement of the diameter of the electrode (sensing element) with further clarification to say "The approximate diameter of each sensing element 30a, as defined by the outer dimensions of the shield electrode 80, may be about 0.002 to 0.005 inches in diameter." at column 7, line 33).

The law of variation as stated by the applicant relates simply to the finger of the "living character" with respect to the function of surface area and time. The measurements of impedance are also measured across the electrodes associated with the finger.

Setlak may not expressly state a "law of variation", however, Setlak does however teach that his invention "comprised an array of electric field sensing electrodes...with a dielectric layer for receiving a finger...drive means for applying an electric field drive signal to the sensing electrodes and adjacent portions of the finger so as to produce an output signal. Additionally, another signification aspect of the invention addresses the difficulty of variation in finger conductivity and contamination. (Further see column 2, lines 60-column 4 lines 35).

The claim would have been obvious because the substitution of one known element for another

would have yielded predictable results to one of ordinary skill in the art at the time of the

invention.

Since Setlak, does not specifically use the term "law of variation", he does however at column

3,lines 37-44 teach/disclose the significant aspects of his invention with relation to impedance

(electric) measurements and surface area of the finger as a function of measuring output

signals.

At the time that the invention was made, it would have been obvious to one of ordinary skill in

the art combine all the claimed elements as rejected by the combination of Hestnes with Setlak

'441 and further in view of Setlak (US 5,963,679).

All the claimed elements were known in the prior art and one skilled in the art could have been

combined the elements as claimed by known methods with no change in their respective

functions, and the combination would have yielded predictable results to one of ordinary skill in

the art at the time of the invention.

Therefore, it would have been obvious to combine all the claimed elements to as rejected above

to obtain the specified claim elements of Claim 19.

Specifically, Regarding Claim 20:

Hestnes in combination with Setlak (US 5,943,441), hereinafter referred to as Setlak '441 and

further in view of Setlak (US 5,963,679) discloses all the claimed elements of Claim 20.

However, Hestnes in combination with Setlak '441, and Setlak does not specifically disclose a

first and second set of four-single piece electrodes with identical[ly] large surfaces.

At the time the invention was made, it would have been obvious to one of ordinary skill in

the art to add together (or combine) a first set of four single-piece electrodes with [an] identically

large surface with a second set of four single-piece electrodes with [an] identically large surface

because a skilled artisan would readily appreciate that the settings and/or range of variation can

be further manipulated and thus makes the fingerprint sensing and matching more reliable and

also it would create a larger database for comparison of multiple images of the finger. (Setlak,

"Background", column 1, line 11). The combination and / or substitution of a first and second set

of four single piece electrodes would yield a predictable result to one of ordinary skill in the art.

Specifically, Regarding Claim 21:

Hestnes in combination with Setlak (US 5,943,441), hereinafter referred to as Setlak '441 and

further in view of Setlak (US 5,963,679) discloses all the claimed elements of Claim 21.

However, Hestnes in combination with Setlak '441, and Setlak does not specifically disclose a

first, a second and a third set of two-single piece electrodes with identical[ly] large surfaces.

At the time the invention was made, it would have been obvious to one of ordinary skill in

the art to add together (or combine) a first and a second set of two single-piece electrodes with

[an] identically large surface with a third set of two single-piece electrodes with [an] identically

large surface because a skilled artisan would readily appreciate that the settings and/or range of

variation can be further manipulated and thus makes the fingerprint sensing and matching more

reliable and also it would create a larger database for comparison of multiple images of the

finger. (Setlak, "Background", column 1, line 11). The combination and / or substitution of a first,

second and third set of two single piece electrodes would yield a predictable result to one of

ordinary skill in the art.

Response to Arguments

13. Applicant's remarks/arguments filed 25 June 2008 have been fully considered and a

complete response to those remarks is provided below.

Summary of Remarks/Examiner's Response:

I. Applicant's arguments with respect to Section A at page 6 with regards to claims 12-16 at

page 6 (35 USC 102(b) as anticipated by Setlak (US 5,963,679)) have been considered

but are moot in view of the new ground(s) of rejection. There was not a rejection forwarded

under 35 USC 102(b) from the Office Action mailed on 30 April 2008. By way of the

amendment received on 25 June 2008, the Examiner has rejected claims herewith this

Office Action in view of a new grounds of rejections. See above. Claim 12-16 are not

allowable and stand rejected for the reasons as listed above.

II. Applicant's arguments with respect to Section B with regards to claims 17, 18 and 22 at

page 6 and 7 (35 USC 103(a) as being unpatentable over Setlak (US 6,067,368)) have

been fully considered but are moot in view of the new ground(s) of rejection. Claims 17, 18

and 22 are not allowable and stand rejected for the reasons as listed above.

Art Unit: 2624

III. Applicant's arguments with respect to Section C with regards to claims 19-21 at page 7

(35 USC 103(a) as being unpatentable over Hestes (US 6,778,686) in combination with

Setlak (US 5,943,441)) have been fully considered but are moot in view of the new

ground(s) of rejection. There was not a rejection forwarded under 35 USC 103(a) with

reference to the single combination of Hestes (US 6,778,686) in combination with Setlak

(US 5,943,441)) from the Office Action mailed on 30 April 2008. By way of the amendment

received on 25 June 2008, the Examiner has rejected claims herewith this Office Action in

view of a new grounds of rejections. Reference 35 USC 103(a) Hestnes (US 6,778,686

B1) in combination with Setlak (US 5,943,441), hereinafter referred to as Setlak '441 and

further in view of Setlak (US 5,963,679).

IV. Applicant's arguments with respect to Section D at page 8 with regards to the prior art

made of record and not relied upon that is considered pertinent to applicant's disclosure

has now been further discussed below in the Conclusion Section of this Office Action.

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure:

<u>US 6,314,195</u> "a determining section determines whether or not the organism

information includes contents that the organism reflectively responds to the organism

information." at abstract

Art Unit: 2624

<u>US 6,282,304</u> "It is yet another object of the invention to provide a fingerprint comparison method which provides for accurate and rapid comparison of fingerprints while compensating for environmental and physiological factors." at column 1, lines 49-52.

<u>US 6.647,133</u>

"A fingerprint identification device judges that the input fingerprint is identical to the fingerprint in the database only when a the touch sensor detects the human finger and a the fingerprint processing unit detects that the input fingerprint is identical to a fingerprint in the database. The touch sensor includes an oscillator that outputs a high frequency signal. An electrode unit applies the high frequency signal to the human finger. A detector unit detects a variation of impedance values varied by the human finger contracting the electrode unit and outputs an output signal based on the variation of impedance values. A discriminator unit determines whether the human finger is in contact with the electrode unit by comparing the output signal from the detector unit with a predetermined reference value." at abstract.

<u>US 6,633,656</u> "The fingerprint sensor has a microthermistor array for converting temperature variation into an electrical signal, the array being composed of a plurality of microthermistors, each of the thermistors being adapted to output an electrical signal proportional to a temperature variation; a read-out integrated circuit operatively connected to the microthermistor array for receiving the electrical signal and converting it into an electronic output signal representative of the ridge and valley structure of a finger; and a substrate for supporting the read-out integrated circuit and the microthermistor array." at abstract.

<u>US 6,175,641</u> "Detector for recognizing the living character of a finger which is arranged in a fingerprint recognizing apparatus and the detector is in contact with a print area of the living finger constituting a print forming element and the apparatus comprises for the examination of the print area a print detector which has a print imaging surface partially covered by the print area. The detector comprises an electrode system made of an electrically conductive material and sensing the presence of the print forming element, and an electrical evaluation unit coupled through electrical contacts to the electrode system, the unit senses the change in state in the electrode system caused by the proximity of the print forming element. The electrode system is arranged on a portion of the print detector covered by the print area and it is coupled to the print imaging surface." at abstract.

<u>US 6,292,576</u> "A determination that the fingerprint is from a human finger is made if a mathematical comparison of the two images meets some predetermined criteria." at abstract.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mia M. Thomas whose telephone number is (571)270-1583. The examiner can normally be reached on Monday-Thursday 8am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vikkram Bali can be reached on 571-272-7415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2624

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the

automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ Mia M Thomas/ Examiner, Art Unit 2624

/Vikkram Bali/

Supervisory Patent Examiner, Art Unit 2624